

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2706	(distribut\$3 with (data\$base or (data adj base) or repository)) same (bound\$3 or limit\$3 or threshold)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/28 14:43
S2	159	((distribut\$3 with (data\$base or (data adj base) or repository)) same (bound\$3 or limit\$3 or threshold)) and (hierarch\$\$8 with tree)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 15:30
S3	80	((distribut\$3 with (data\$base or (data adj base) or repository)) same (bound\$3 or limit\$3 or threshold)) and (hierarch\$\$8 with tree) and (split\$4 or division or divid\$3) and (merg\$3 or join\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 15:32
S4	0	((distribut\$3 with (data\$base or (data adj base) or repository)) same (bound\$3 or limit\$3 or threshold)) and (hierarch\$\$8 with tree) and (split\$4 or division or divid\$3) and (merg\$3 or join\$3) and (incremental with (split\$merge or (split adj merge)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 15:34
S5	80	((distribut\$3 with (data\$base or (data adj base) or repository)) same (bound\$3 or limit\$3 or threshold)) and (hierarch\$\$8 with tree) and (split\$4 or division or divid\$3) and (merg\$3 or join\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 15:35
S6	1	((distribut\$3 with (data\$base or (data adj base) or repository)) same (bound\$3 or limit\$3 or threshold)) and (hierarch\$\$8 with tree) and (split\$4 or division or divid\$3) and (merg\$3 or join\$3) and ((split\$merge or (split adj merge)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 15:37
S7	35	(updat\$3 with (data\$base or (data adj base or store)) or repository)) and (split\$merge or (split adj merge))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 15:43

EAST Search History

S8	0	(updat\$3 with (data\$base or (data adj (base or store)) or repository)) and ((increment\$7 or down\$support) with (split\$merge or (split adj merge)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 15:39
S9	0	(updat\$3 with (data\$base or (data adj (base or store)) or repository)) and (split\$merge or (split adj merge)) and (bism or lism or dsm)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 15:39
S10	0	(incremental with updat\$3 with algorithm) and SPEAR	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 15:43
S11	83	(incremental with updat\$3 with algorithm)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 15:43
S12	7	(updat\$3 with (data\$base or (data adj (base or store)) or repository)) and (split\$merge or (split adj merge)) and (incremental with updat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 15:43
S13	7	(updat\$3 with (data\$base or (data adj (base or store)) or repository)) and (split\$merge or (split adj merge)) and (incremental\$5 with updat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 15:45
S14	0	(updat\$3 with (data\$base or (data adj (base or store)) or repository)) and (split\$merge or (split adj merge)) and (incremental\$5 with updat\$3) and (router or switch or bridge or gateway)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 15:46

EAST Search History

S15	492	(updat\$3 with (data\$base or (data adj (base or store)) or repository)) and ((split\$merge or (split adj merge)) or (incremental\$5 with updat\$3)) and (router or switch or bridge or gateway)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 15:48
S16	157	"707"/.ccls. and (updat\$3 with (data\$base or (data adj (base or store)) or repository)) and ((split\$merge or (split adj merge)) or (incremental\$5 with updat\$3)) and (router or switch or bridge or gateway)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 15:48
S17	95	"707"/.ccls. and (updat\$3 with (data\$base or (data adj (base or store)) or repository)) and ((split\$merge or (split adj merge)) or (incremental\$5 with updat\$3)) and (router or switch or bridge or gateway) and (split\$4 or divid\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 15:49
S18	61	"707"/.ccls. and (updat\$3 with (data\$base or (data adj (base or store)) or repository)) and ((split\$merge or (split adj merge)) or (incremental\$5 with updat\$3)) and (router or switch or bridge or gateway) and (split\$4 or divid\$3) and (join\$3 or merg\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 15:49
S19	50	"707"/.ccls. and (updat\$3 with (data\$base or (data adj (base or store)) or repository)) and ((split\$merge or (split adj merge)) or (incremental\$5 with updat\$3)) and (router or switch or bridge or gateway) and (split\$4 or divid\$3) and (join\$3 or merg\$4) and tree	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 15:50
S20	47	"707"/.ccls. and (updat\$3 with (data\$base or (data adj (base or store)) or repository)) and ((split\$merge or (split adj merge)) or (incremental\$5 with updat\$3)) and (router or switch or bridge or gateway) and (split\$4 or divid\$3) and (join\$3 or merg\$4) and tree and node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 16:04

EAST Search History

S21	1	"707"/.cccls. and (updat\$3 with (data\$base or (data adj (base or store)) or repository)) and ((split\$merge or (split adj merge)) or (incremental\$5 with updat\$3)) and (router or switch or bridge or gateway) and (split\$4 or divid\$3) and (join\$3 or merg\$4) and tree and node and (bism or lism or dsm)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 15:58
S22	45	"707"/.cccls. and (updat\$3 with (data\$base or (data adj (base or store)) or repository)) and ((split\$merge or (split adj merge)) or (incremental\$5 with (updat\$3 or algoritm or operation))) and (router or switch or bridge or gateway) and (split\$4 or divid\$3) and (join\$3 or merg\$4) and tree and node and (lazy or basic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 16:16
S23	15	"707"/.cccls. and (updat\$3 with (data\$base or (data adj (base or store)) or repository)) and ((split\$merge or (split adj merge)) or (incremental\$5 with (updat\$3 or algoritm or operation))) and (router or switch or bridge or gateway) and (split\$4 or divid\$3) and (join\$3 or merg\$4) and tree and node and (lazy or basic) and ((look\$up or (look adj up) or hash) with table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/29 15:17
S24	54	(updat\$3 with (data\$base or (data adj (base or store)) or repository)) and ((split\$merge or (split adj merge)) or (incremental\$5 with (updat\$3 or algoritm or operation))) and (router or switch or bridge or gateway) and (split\$4 or divid\$3) and (join\$3 or merg\$4) and tree and node and (lazy or basic) and ((look\$up or (look adj up) or hash) with table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 16:21
S25	17	(updat\$3 with (data\$base or (data adj (base or store)) or repository)) and ((split\$merge or (split adj merge)) or (incremental\$5 with (updat\$3 or algoritm or operation))) and (router or switch or bridge or gateway) and (split\$4 or divid\$3) and (join\$3 or merg\$4) and tree and node and (lazy or basic) and ((look\$up or (look adj up) or hash) with table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 16:25

EAST Search History

S26	1	(updat\$3 with (data\$base or (data adj (base or store)) or repository)) and ((split\$merge or (split adj merge)) or (incremental\$5 with (updat\$3 or algoritm or operation))) and (router or switch or bridge or gateway) and (split\$4 or divid\$3) and (join\$3 or merg\$4) and tree and node and (lazy or basic) and ((look\$up or (look adj up)) with table) and (network with topology)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 16:22
S27	4	(updat\$3 with (data\$base or (data adj (base or store)) or repository)) and ((split\$merge or (split adj merge)) or (incremental\$5 with (updat\$3 or algoritm or operation))) and (router or switch or bridge or gateway) and (split\$4 or divid\$3) and (join\$3 or merg\$4) and tree and node and (lazy or basic) and ((look\$up or (look adj up)) with table) and prefix	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 16:24
S28	4	(updat\$3 with (data\$base or (data adj (base or store)) or repository)) and ((split\$merge or (split adj merge)) or (incremental\$5 with (updat\$3 or algoritm or operation))) and (router or switch or bridge or gateway) and (split\$4 or divid\$3) and (join\$3 or merg\$4) and tree and node and (lazy or basic) and ((look\$up or (look adj up)) with table) and prefix and address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 16:24
S29	17	(updat\$3 with (data\$base or (data adj (base or store)) or repository)) and ((split\$merge or (split adj merge)) or (incremental\$5 with (updat\$3 or algoritm or operation))) and (router or switch or bridge or gateway) and (split\$4 or divid\$3) and (join\$3 or merg\$4) and tree and node and (lazy or basic) and ((look\$up or (look adj up)) with table) and address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 16:25
S30	16	(updat\$3 with (data\$base or (data adj (base or store)) or repository)) and ((split\$merge or (split adj merge)) or (incremental\$5 with (updat\$3 or algoritm or operation))) and (router or switch or bridge or gateway) and (split\$4 or divid\$3) and (join\$3 or merg\$4) and tree and node and (lazy or basic) and ((look\$up or (look adj up)) with table) and address and entry	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 16:26

EAST Search History

S31	40	(updat\$3 with (data\$base or (data adj (base or store)) or repository or table)) and ((split\$merge or (split adj merge)) or (incremental\$5 with (updat\$3 or algorithm or operation))) and (router or switch or bridge or gateway) and (split\$4 or divid\$3) and (join\$3 or merg\$4) and tree and node and (lazy or basic) and ((look\$up or (look adj up)) with table) and address and entry	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 16:28
S32	23	(updat\$3 with (data\$base or (data adj (base or store)) or repository or table)) and ((split\$merge or (split adj merge)) or (incremental\$5 with (updat\$3 or algorithm or operation))) and (router or switch or bridge or gateway) and (split\$4 or divid\$3) and (join\$3 or merg\$4) and tree and node and (lazy or basic) and ((look\$up or (look adj up)) with table) and address and entry and pre\$fix	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 16:32
S33	23	(updat\$3 with (data\$base or (data adj (base or store)) or repository or table)) and ((split\$merge or (split adj merge)) or (incremental\$5 with (updat\$3 or algorithm or operation))) and (router or switch or bridge or gateway) and (split\$4 or divid\$3) and (join\$3 or merg\$4) and tree and node and (lazy or basic) and ((look\$up or (look adj up)) with table) and address and entry and (pre\$fix or stem)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 16:33
S34	6	(updat\$3 with (data\$base or (data adj (base or store)) or repository or table)) and ((split\$merge or (split adj merge)) or (incremental\$5 with (updat\$3 or algorithm or operation))) and (router or switch or bridge or gateway) and (split\$4 or divid\$3) and (join\$3 or merg\$4) and tree and node and (lazy or basic) and ((look\$up or (look adj up)) with table) and address and entry and (pre\$fix or stem) and (updat\$3 with dynamic\$7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 16:35

EAST Search History

S35	6	(updat\$3 with (data\$base or (data adj (base or store)) or repository or table)) and ((split\$merge or (split adj merge)) or (incremental\$5 with (updat\$3 or algorithm or operation or process))) and (router or switch or bridge or gateway) and (split\$4 or divid\$3) and (join\$3 or merg\$4) and tree and node and (lazy or basic) and ((look\$up or (look adj up)) with table) and address and entry and (pre\$fix or stem) and (updat\$3 with dynamic\$7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 16:36
S36	27	(updat\$3 with (data\$base or (data adj (base or store)) or repository or table)) and ((split\$merge or (split adj merge)) or (incremental\$5 with (updat\$3 or algorithm or operation or process))) and (router or switch or bridge or gateway) and (split\$4 or divid\$3) and (join\$3 or merg\$4) and tree and node and (lazy or basic) and ((look\$up or (look adj up) or forward\$3 or routing) with table) and address and entry and (pre\$fix or stem) and (updat\$3 with dynamic\$7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 16:39
S37	27	(updat\$3 with (data\$base or (data adj (base or store)) or repository or table)) and ((split\$merge or (split adj merge)) or (incremental\$5 with (updat\$3 or algorithm or operation or process))) and (router or switch or bridge or gateway) and (split\$4 or divid\$3) and (join\$3 or merg\$4) and tree and node and (lazy or basic) and ((look\$up or (look adj up) or forward\$3 or routing) with table) and address and entry and (pre\$fix or stem) and (updat\$3 with dynamic\$7) and (over\$flow or limit or threshold or maximum)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 16:44

EAST Search History

S38	21	(updat\$3 with (data\$base or (data adj (base or store)) or repository or table)) and ((split\$merge or (split adj merge)) or (incremental\$5 with (updat\$3 or algorithm or operation or process))) and (router or switch or bridge or gateway) and (split\$4 or divid\$3) and (join\$3 or merg\$4) and tree and node and (lazy or basic) and ((look\$up or (look adj up) or forward\$3 or routing) with table) and address and entry and (pre\$fix or stem) and (updat\$3 with dynamic\$7) and (over\$flow or limit or threshold or maximum) and topology	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 16:45
S39	21	(updat\$3 with (data\$base or (data adj (base or store)) or repository or table)) and ((split\$merge or (split adj merge)) or (incremental\$5 with (updat\$3 or algorithm or operation or process))) and (router or switch or bridge or gateway) and (split\$4 or divid\$3) and (join\$3 or merg\$4) and tree and node and (lazy or basic) and ((look\$up or (look adj up) or forward\$3 or routing) with table) and (address or key) and entry and (pre\$fix or stem) and (updat\$3 with dynamic\$7) and (over\$flow or limit or threshold or maximum) and topology	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 17:00
S40	0	(bism or lism or dsm) same (split with merge)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 16:59
S41	23495	(bism or lism or dsm)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 16:59

EAST Search History

S42	0	(updat\$3 with (data\$base or (data adj (base or store)) or repository or table)) and ((split\$merge or (split adj merge)) or (incremental\$5 with (updat\$3 or algorithm or operation or process))) and (router or switch or bridge or gateway) and (split\$4 or divid\$3) and (join\$3 or merg\$4) and tree and node and (lazy or basic) and ((look\$up or (look adj up) or forward\$3 or routing) with table) and (address or key) and entry and (pre\$fix or stem) and (updat\$3 with dynamic\$7) and (over\$flow or limit or threshold or maximum) and topology and (significant with bit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 17:00
S43	21	(updat\$3 with (data\$base or (data adj (base or store)) or repository or table)) and ((split\$merge or (split adj merge)) or (incremental\$5 with (updat\$3 or algorithm or operation or process))) and (router or switch or bridge or gateway) and (split\$4 or divid\$3) and (join\$3 or merg\$4) and tree and node and (lazy or basic) and ((look\$up or (look adj up) or forward\$3 or routing) with table) and (address or key) and entry and (pre\$fix or stem) and (updat\$3 with dynamic\$7) and (over\$flow or limit or threshold or maximum) and topology and (bit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 17:15
S44	82	tree and node and (lazy or basic) and ((look\$up or (look adj up) or forward\$3 or routing) with table) and (address or key) and entry and (pre\$fix or stem) and (updat\$3 with dynamic\$7) and (merg\$3) and split\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 17:16
S45	79	tree and node and (lazy or basic) and ((look\$up or (look adj up) or forward\$3 or routing) with table) and (address or key) and entry and (pre\$fix or stem) and (updat\$3 with dynamic\$7) and (merg\$3) and split\$4 and increment\$8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 17:16
S46	79	tree and node and (lazy or basic) and ((look\$up or (look adj up) or forward\$3 or routing) with table) and (address or key) and entry and (pre\$fix or stem) and (updat\$3 with dynamic\$7) and (merg\$3) and split\$4 and increment\$8 and (lazy or basic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 17:18

EAST Search History

S47	0	tree and node and (lazy or basic) and ((look\$up or (look adj up) or forward\$3 or routing) with table) and (address or key) and entry and (pre\$fix or stem) and (updat\$3 with dynamic\$7) and (merg\$3 with split\$4 with increment\$8 with (lazy or basic or down\$support))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 17:18
S48	0	tree and node and (lazy or basic) and ((look\$up or (look adj up) or forward\$3 or routing) with table) and (address or key) and entry and (pre\$fix or stem) and (updat\$3 with dynamic\$7) and (merg\$3 same split\$4 same increment\$8 same (lazy or basic or down\$support))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 17:18
S49	46	tree and node and (lazy or basic) and ((look\$up or (look adj up) or forward\$3 or routing) with table) and (address or key) and entry and (pre\$fix or stem) and (updat\$3 with dynamic\$7) and (merg\$3 same split\$4) and increment\$8 and (lazy or basic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 17:18
S50	2	tree and node and (lazy or basic) and ((look\$up or (look adj up) or forward\$3 or routing) with table) and (address or key) and entry and (pre\$fix or stem) and (updat\$3 with dynamic\$7) and ((merg\$3 same split\$4) with (table or node or data\$base or (data adj base))) and increment\$8 and (lazy or basic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 17:19
S51	3	tree and node and (lazy or basic) and ((look\$up or (look adj up) or forward\$3 or routing) with table) and (address or key) and entry and (pre\$fix or stem) and (updat\$3 with dynamic\$7) and ((merg\$3 same split\$4) same (table or node or data\$base or (data adj base))) and increment\$8 and (lazy or basic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 17:24
S52	892	(split\$4 and merg\$4 with node)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 17:24

EAST Search History

S53	79	(split\$4 with merg\$4 with node) and (tree with node)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 17:25
S54	18	(split\$4 with merg\$4 with node) and (tree with node) and ((data\$base or (data adj base) or repository) with (tree or node))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 17:27
S55	13	(split\$4 with merg\$4 with node) and (tree with node) and ((data\$base or (data adj base) or repository) with (tree or node)) and (memory with access\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 17:34
S56	6274	(forwarding with table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 17:34
S57	189	(forwarding with table) and (tree with hierarch\$7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 17:35
S58	271	(forwarding with (table or data\$base or (data adj base) or repository)) and (tree with hierarch\$7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 17:35
S59	1	(forwarding with (table or data\$base or (data adj base) or repository)) and (tree with hierarch\$7) and (node) and (split\$4 with node) and (merg\$3 with node)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 17:37

EAST Search History

S60	76340	(forwarding with (table or data\$base or (data adj base) or repository)) and (tree with hierarch\$7) and (node) trie	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 17:37
S61	66	(forwarding with (table or data\$base or (data adj base) or repository)) and (tree with hierarch\$7) and (node) and trie	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 17:37
S62	46	(forwarding with (table or data\$base or (data adj base) or repository)) and (tree with hierarch\$7) and (node) and trie and split\$4 and merg\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 17:38
S63	44	(forwarding with (table or data\$base or (data adj base) or repository)) and (tree with hierarch\$7) and (node) and trie and split\$4 and merg\$4 and (sub\$database or (sub adj (database or set) or sub\$set))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 17:39
S64	48	(forwarding with (table or data\$base or (data adj base) or repository)) and (tree with hierarch\$7) and (node) and split\$4 and merg\$4 and (sub\$database or (sub adj (database or set) or sub\$set))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 17:39
S65	3	"2002089937"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 18:13
S66	2	"20020089937"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 18:17
S67	1	("6636956").PN.	USPAT; USOCR	OR	OFF	2006/12/14 18:18

EAST Search History

S68	14	((("6154384") or ("6192051") or ("6215816") or ("6223172") or ("6307855") or ("6385649") or ("20020089937"))).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/14 18:29
S69	13	("6385649").URPN.	USPAT	OR	OFF	2006/12/14 18:27
S70	27	S68 or S69	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 18:29
S71	2	S70 and split\$4 and merg\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 18:29
S82	2	"20030081833"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 16:47
S83	65	"6018524"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/28 15:21
S84	49	"6018524" and (updat\$3 merg\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/28 15:21
S85	29	"6018524" and (updat\$3 merg\$3) and (forward\$3 with (data\$1base (data dj base) table))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/28 17:08

EAST Search History

S86	72	((router routing) with (forwarding adj (data\$1base table (data adj base)))) and ((forwarding adj (data\$1base table (data adj base))) same trie)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/28 17:10
S87	121	((router routing) with (forwarding adj (data\$1base table (data adj base)))) and ((forwarding adj (data\$1base table (data adj base))) same (trie tree)) and pre\$1fix	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/28 17:11
S88	28	((router routing) with (forwarding adj (data\$1base table (data adj base)))) and ((forwarding adj (data\$1base table (data adj base))) same (trie tree)) and pre\$1fix and (((modif\$5 updat\$3 delet\$4 insert\$4) with (tree trie)) same ((updat\$3 modif\$5) with (data\$1base (data adj base) table)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/28 17:16
S89	10	((router routing) with (forwarding adj (data\$1base table (data adj base)))) and ((forwarding adj (data\$1base table (data adj base))) same (trie tree)) and pre\$1fix and (((modif\$5 updat\$3 delet\$4 insert\$4) with (tree trie)) same ((updat\$3 modif\$5) with (data\$1base (data adj base) table))) and ((split\$4 division divid\$3 separat\$4) with (table data\$1base (data adj base)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/28 17:54
S90	12	((("6154384") or ("6192051") or ("6215816") or ("6223172") or ("6307855") or ("6385649")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/28 18:01
S91	3	("2002089937").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/28 18:02

EAST Search History

S92	2	("20020089937").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/28 18:02
S93	1	((lazy basic down\$1support) with (split\$1merge (split\$4 adj merg\$4))) and (router ((forwarding routing) adj device)) and split\$4 and merg\$4 and (table data\$1base or (data adj base))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/29 13:46
S94	44	"6018524" and ((updat\$3 delet\$4 insert\$4 modif\$7) with (trie tree table data\$1base))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/29 14:11
S95	15	"707"/.cccls. and (updat\$3 with (data\$base or (data adj (base or store)) or repository)) and ((split\$merge or (split adj merge)) or (incremental\$5 with (updat\$3 or algoritm or operation))) and (router or switch or bridge or gateway) and (split\$4 or divid\$3) and (join\$3 or merg\$4) and tree and node and (lazy or basic) and ((look\$up or (look adj up) or hash) with table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/29 15:17